ILLUSTRATED PARTS






1995


FRONT TINE TILLERS

| wodel Number | Pages |
|--------------|---------|
| 215-035-000 | 2 - 4 |
| 215-340-000 | 6 - 9 |
| 215-390-000 | 10 - 13 |



PARTS LIST FOR MODEL 035 TILLER


| REF. NO. | PART NO. | CODE | DESCRIPTION | REF. NO. | PART NO. | CODE | DESCRIPTION |
|-------------|-------------|------|---------------------------------|-------------|-------------|------|--------------------------------|
| 1 | 710-1167 | | Tap Scr. #10-16 x 1/2" Lg. | 36 | 686-0021 | | Belt Cover |
| l ż | 720-0263 | | Rubber Bumper | 37 | 710-0258 | | Hex Bolt 1/4-20 x 5/8" Lg.* |
| 3 | 731-0473 | | Vinyl Grip | 39 | 754-0216 | | V-Belt |
| 4 | 686-0002 | | Clutch Lever Ass'y. | 40 | 756-0287 | | Pulley-Chain Case |
| 5 | 720-0233 | | Handle Grip | 45 | 756-0199 | | Flat Idler Pulley |
| 6 | 710-0501 | | Hex Bolt 1/4-20 x 2" Lg.* | 47 | 712-0116 | | Hex Jam L-Nut 3/8-24 Thd. |
| 7 | 736-3090 | | Fl-Wash. 1/4" I.D. | 49 | 784-0016 | | Idler Arm Ass'y. |
| 8 | 710-1201 | | Hex Tap Scr. 1/4-20 x 1/2" Lg. | 51 | 756-0286 | | Engine Pulley |
| 9 | 15093C | | Cable Bracket | 52 | 714-0122 | | Square Key 3/16" x .75" Lg. |
| 10 | 712-0324 | | Lock Nut 1/4-20 Thd. | 53 | 04765 | | Tine Shield |
| 11 | 712-0429 | | Lock Nut 5/16-18 Thd. | 54 | 736-0289 | | Washer-Bushing |
| 12 | 712-0256 | | Hex Jam Nut 5/16-24 Thd. | 57 | 686-0022 | | Chain Case Ass'y. Comp. |
| 13 | 736-0119 | | L-Wash. 5/16" I.D.* | 58 | 04922 | | R.H. Tine Blade |
| 14 | 746-0509 | | Clutch Control Cable | 59 | 04923 | | L.H. Tine Blade |
| 17 | 649-0153 | | Handle Ass'y. | 60 | 714-0149B | | Hairpin Cotter |
| 18 | 750-0848 | | Spacer | 61 | 04918 | | Adapter Ass'yTine |
| 19 | 710-0572 | | Carr. Bolt 5/16-18 x 2-1/2" Lg. | 62 | 711-0702 | | Clevis Pin |
| 20 | 786-0013 | | Handle Channel-Frame | 63 | 726-0306 | | Cable Tie-Plastic |
| 21 | 04764 | | Depth Stake | 65 | 736-0329 | | L-Wash. 1/4" I.D.* |
| 22 | 711-0653 | | Clevis Pin | 66 | 750-0846 | | Spacer |
| 23 | 714-0145 | | Hairpin Cotter | 67 | | | Engine |
| 24 | 710-0376 | | Hex Bolt 5/16-18 x 1" Lg.* | 68 | 736-0185 | | FI-Wash. 3/8" I.D. |
| 25 | 710-0759 | | Hex Bolt 5/16-18 x 5/8" Lg.* | 69 | 710-0599 | | Tap Scr. 1/4-20 x 1/2" Lg. |
| 26 | 786-0011 | | L.H. Frame Half | 70 | 710-0442 | | Hex Bolt 5/16-18 x 1-1/2" Lg.* |
| 27 | 786-0010 | | R.H. Frame Half | 71 | 736-0258 | | FI-Wash. 3/8" I.D. x 1" O.D. |
| 28 | 710-0607 | | Hex Tap. Scr. 5/16-18 x | 72 | 712-0287 | | Hex Nut 1/4-20 Thd.* |
| A | | | 1/2" Lg. | 73 | 710-0107 | | Hex Bolt 5/16-24 x .5" Lg. |
| 29 | 750-0845 | | Spacer | 74 | 04921 | | Tine Blade Ass'y. Comp. |
| 30 | 710-1090 | | Hex Bolt 5/16-18 x 1-1/4" Lg. | 75 | 712-0267 | | Hex Nut 5/16-18 Thd.* |
| 31 | 714-3017 | | Cotter Pin | 76 | 731-0511-1 | 12 | Trim Strip |
| 32 | 786-0012 | | Wheel Bracket | 77 | 736-0169 | 1 | L-Wash. 3/8" I.D.* |
| 33 | 634-0013 | | Wheel-6" | 78 | 710-0152 | | Hex Bolt 3/8-24 x 1" Lg. |
| 34 | 738-0855 | | Axle-Wheel | 79 | 786-0046 | | Belt Cover Bracket |
| 35 | 720-0258 | | Hub Cap | | | | |



PARTS LIST FOR MODEL 035 TILLER

| REF. NO. | PART NO. | CODE | DESCRIPTION | REF. NO. | PART NO. | CODE | DESCRIPTION |
|-------------|-------------|------|----------------------------|-------------|-------------|------|------------------------------|
| 1 | 686-0024 | | Chain Case Ass'y.—R.H. | 23 | 713-0216 | | Chain #35 .375" Pitch 50 |
| 2 | 04756 | | Input Shaft Ass'y. | | 1 | | Links |
| 3 | 04757 | | Hub and Sprocket Ass'y | | 713-0139 | | #35 Master Link |
| 4 | 750-0351 | | Bearing Inner Race | 24 | 748-0154 | | Bearing .62" I.D. x .813" |
| 5 | 741-0155 | | Ball Bearing | 25 | 05034A | | Bearing Housing |
| 6 | 686-0023 | | Chain Case Ass'y.—L.H | 26 | 726-0164 | | Expansion Plug 13/16" |
| 7 | 756-0287 | | Pulley—Chain Case†† | | | | Dia. |
| 8 | 710-0369 | | Hex Bolt 3/8-24 x 2.5"* | 27 | 741-0228 | | Bearing |
| 10 | 721-0157 | | Seal†† | 28 | 731-0486 | | Dust Cap†† |
| 11 | 710-0195 | | Hex Bolt 1/4-28 x .625"* | 29 | 710-0599 | | Hex Wash. Hd. Self-Tap |
| 12 | 721-0156A | | Gasket | | | | Scr. 1/4-20 x .50" Lg. |
| 13 | 741-0227 | | Flange Brg879" I.D. | 30 | 750-0471 | | Spacer .63" I.D. x .77" |
| 14 | 736-0265 | | Fl-Wash88" I.D. x 1.5" | 1 | | | O.D. x .38" Lg. |
| 15 | 04920 | | Tine Shaft Ass'y. | 31 | 715-0114 | | Spring Pin Spiral 1/4" Dia. |
| 16 | 750-0354A | | Spacer 7/8" I.D. | | | | x 1-1/2" Lg.†† |
| 17 | 736-0329 | | L-Wash. 1/4" I.D.* | 32 | 750-0550 | | Spacer .647 x 1.25"†† |
| 18 | 712-0138 | | Hex Nut 1/4-28 Thd.* | 33 | 710-0653 | } | Hex Wash. Hd. Self-Tap |
| 19 | 712-0116 | | Hex Ins. L-Nut 3/8-24 Thd. | | | | Scr. 1/4-20 x .38" Lg. |
| 21 | 736-0219 | | Bell-Wash406" I.D. | 34 | 710-0118 | | Hex Bolt 5/16-18 x .75" Lg.* |
| 22 | 713-0215 | | Chain #420 1/2" Pitch 38 | 35 | 712-0267 | | Hex Nut 5/16-18 Thd.* |
| | | | Links | 36 | 736-0119 | | L-Wash. 5/16" I.D.* |
| | 713-0154 | | #420 Master Link | - | 686-0022 | | Chain Case Ass'y. Comp. |


††Not part of chain case assembly.



PARTS LIST FOR MODEL 340 TILLER

| REF. NO. | PART NO. | CODE | DESCRIPTION | REF. NO. | PART NO. | CODE | DESCRIPTION |
|-------------|-------------|------|-----------------------------------|-------------|-------------|------|--------------------------------|
| 1 | 710-0874 | | Hex Bolt 5/16-18 x 1.25" Lg. | 24 | 786-0129 | N | Cable Guide Brkt. |
| 2 | 712-3004A | | Hex Flange L-Nut 5/16-18 Thd. | 25 | 736-0119 | | L-Wash. 5/16" I.D.* |
| _ | | | (Gr. 5) ັ | 26 | 736-3020 | | FI-Wash266" I.D. x .625" O.D. |
| 3 | 786-0004 | | Tail Piece Brkt. (R.H.) | 27 | 712-0392 | | Hex L-Stop Nut 1/4-28 Thd. |
| 4 | 786-0003 | | Tail Piece Brkt. (L.H.) | 28 | 712-0138 | | Hex Nut 1/4-28 Thd. |
| 5 | 710-0442 | | Hex Bolt 5/16-18 x 1.5" Lg. | 29 | 720-0268 | | Grip—Handle |
| 6 | 712-3004A | | Hex Flange L-Nut 5/16-18 Thd. | 31 | 736-0140 | | Fl-Wash385" I.D. x .62" O.D. |
| | | | (Gr. 5) | 35 | 741-0475 | | Plastic Bushing .38" I.D. |
| 7 | 750-0890 | | Spacer .32" I.D. x .75" O.D. | 36 | 720-0269 | | Grip—Clutch |
| 8 | 786-0005 | | Depth Bar | 37 | 747-0815 | İ | Clutch Handle Eye Bolt |
| 9 | 711-0599 | | Clevis Pin .375" I.D. x 1.75" Lg. | 38 | 686-0008 | | Clutch Handle Ass'y. |
| 10 | 714-0149B | | Internal Cotter Pin | 39 | 710-0189 | | Hex Bolt 5/16-18 x 3" Lg. |
| 11 | 750-0470 | | Spacer .326" I.D. x .47" O.D. | 40 | 649-0001 | ١ | Longhorn Handle Ass'y. |
| 12 | 750-0885 | | Spacer .322" I.D. x .44" O.D. | 42 | 746-0918 | N | Clutch Control Cable |
| 13 | 710-0176 | | Hex Bolt 5/16-18 x 2.75" Lg. | 43 | 710-1236 | | Carr. Bolt 5/16-18 x 1" Lg. |
| 14 | 786-0028 | | Frame—R.H. | | | | (Special) |
| 15 | 786-0029 | | Frame—L.H. | 44 | 736-0123 | | FI-Wash344" I.D. x 1.12" O.D. |
| 16 | 686-0025 | | Wheel Hanger Brkt. Ass'y. | 45 | 736-0242 | | Bell-Wash345" I.D. x .88" O.D. |
| 18 | 738-0213 | | Shid. Bolt .498" Dia. x 1.45" Lg. | 46 | 720-0195 | | Hand Knob |
| 19 | 734-1781 | | Wheel Ass'y. | 47 | 749-0915 | | Engine Tubing Brace |
| 20 | 710-3094 | | Hex Bolt 3/8-16 x 1" Lg. (Gr. 8) | 48 | 712-0429 | | Hex L-Nut 5/16-18 Thd. |
| 21 | 712-3005 | | Hex Flange L-Nut 3/8-16 Thd. | 49 | 736-0242 | | Bell-Wash345" I.D. x .88" O.D. |
| | | | (Gr. 5) | 50 | 710-3008 | | Hex Bolt 5/16-18 x .75" Lg. |
| 22 | 731-1599 | | Handle Cover | | | | (Gr. 5) |
| 23 | 711-1036 | N | Spec. Hex Nut | | | | |


^{*}For faster service obtain standard nuts, bolts and washers locally. If these items cannot be obtained locally, order by part number and size as shown on parts list.



PARTS LIST FOR MODEL 340 TILLER

| REF. NO. | PART NO. | CODE | DESCRIPTION | REF. NO. | PART NO. | CODE | DESCRIPTION |
|-------------|-------------|------|-----------------------------------|-------------|-------------|------|-----------------------------------|
| 1 | 786-0036 | | Belt Cover | 26 | 756-0972 | | Outer Engine Pulley Half |
| 2 | 736-3020 | | FI-Wash266" I.D. x .625" O.D. | 27 | 756-0971 | | Inner Engine Pulley Half |
| 3 | 710-0599 | | Hex Wash, Hd. TT-Tap Scr. | 28 | 756-0585 | | Fl-Pulley 6" Dia. |
| | | | 1/4-20 x .5" Lg. | 30 | 754-0428 | | "V"-Belt |
| 4 | 712-0392 | | Hex L-Stop Nut 1/4-28 Thd. | 31 | 748-0350 | | Pulley Mounting Adapter |
| 5 | 712-3004A | | Hex Flange Top L-Nut | 32 | 736-0112 | | Bell-Wash535" I.D. x 1.5" O.D. |
| | | - | 5/16-18 Thd. (Gr. 5) | 33 | 712-3029 | | Hex Jam Nut 1/2-20 Thd. (Gr. 5) |
| 6 | 786-0035 | | Tine Shield | 34 | 738-0102 | | Shld. Bolt .498" Dia. x 1.45" Lg. |
| 7 | 710-0118 | | Hex Bolt 5/16-18 x .75" Lg.* | 35 | 786-0039 | | Belt Cover Brkt. |
| 8 | 711-0919 | | Belt Cover Bolt | 38 | 756-0313 | | FI-Idler 2.12" O.D. |
| 10 | 736-0171 | | L-Wash. 7/16" I.D. | 39 | 710-0723 | | Hex Cap Bolt 3/8-16 x 1.25" Lg. |
| 11 | 710-0380 | | Hex Bolt 5/16-18 x 1.75" Lg. | 40 | 712-0266 | | Hex Cent. Jam Nut 3/8-16 Thd. |
| 14 | | | Engine | 41 | 750-0892 | | Spacer .64" I.D. x 2.4" Lg. |
| 15 | 736-0170 | | Spec. L-Nut 5/16" I.D. | 42 | 686-0011 | | Tine Idler Brkt. Ass'y. |
| 16 | 711-0599 | | Clevis Pin .375" Dia. x 1.75" Lg. | 43 | 756-0199 | | FI-Idler 2" O.D. |
| 17 | 714-0149B | | Internal Cotter Pin | 44 | 710-0783 | | Hex Self-Tap Scr. #8-32 x .38" |
| 18 | 642-0005 | | Outer Tine Ass'y.—L.H. | | | | Lg. |
| | 642-0004 | | Outer Tine Ass'y.—R.H. | 45 | 751-0233 | | Muffler Deflector |
| | | | (Not Shown) | 46 | 746-0918 | N | Clutch Control Cable |
| 19 | 642-0003 | | Inner Tine Ass'y.—L.H. | 48 | 735-0639 | | Spark Plug Boot (Optional) |
| | 642-0002 | | Inner Tine Ass'y.—R.H. | 50 | 736-0169 | | L-Wash. 3/8" I.D.* |
| | | | (Not Shown) | 51 | 736-0258 | | Fl-Wash. 3/8" I.D. x 1" O.D. |
| 20 | 686-0009 | | Chain Case Ass'y. Comp. | 52 | 786-0047 | | Engine Plate |
| | | | (Available Only as Comp. | 53 | 786-0053 | , | Tine Shield Support |
| 04 | 700 0440 | | Ass'y.) | 54 | 712-0240 | | Hex Nut 7/16-20 Thd. |
| 21 | 736-0119 | | L-Wash. 5/16" I.D.* | 55 | 712-3010 | | Hex Nut 5/16-18 Thd. |
| 22 | 710-0107 | | Hex Bolt 5/16-24 x .5" Lg. | 56 | 736-0312 | , | Bearing Retainer Washer |
| 24 | 710-0191 | | Hex Bolt 3/8-24 x 1.25" Lg. | | | | |

^{*}For faster service obtain standard nuts, bolts and washers locally. If these items cannot be obtained locally, order by part number and size as shown on parts list.



PARTS LIST FOR MODEL 390 TILLER

| REF. NO. | PART NO. | CODE | DESCRIPTION | REF. NO. | PART NO. | CODE | DESCRIPTION |
|-------------|-------------|------|-----------------------------------|-------------|-------------|------|--------------------------------|
| 1 | 710-0874 | | Hex Bolt 5/16-18 x 1.25" Lg. | 26 | 736-3020 | | Fl-Wash266" I.D. x .625" O.D. |
| Ż | 712-3004A | * | Hex Flange L-Nut 5/16-18 Thd. | 27 | 712-0392 | | Hex L-Stop Nut 1/4-28 Thd. |
| - | | | (Gr. 5) | 28 | 712-0138 | | Hex Nut 1/4-28 Thd. |
| 3 | 786-0004 | | Tail Piece Brkt. (R.H.) | 29 | 720-0268 | | Grip-Handle |
| 4 | 786-0003 | | Tail Piece Brkt. (L.H.) | 30 | 736-0264 | | FI-Wash344" I.D. x .62" O.D. |
| 5 | 710-0442 | | Hex Bolt 5/16-18 x 1.5" Lg. | 31 | 736-0140 | | FI-Wash385" I.D. x .62" O.D. |
| 6 | 712-3004A | | Hex Flange L-Nut 5/16-18 Thd. | 32 | 720-0270 | | Grip-Reverse Lever |
| | | | (Gr. 5) | 33 | 686-0014 | | Reverse Handle Ass'y. |
| 7 | 750-0890 | | Spacer .32" I.D. x .75" O.D. | 34 | 726-0135 | | Cap Speed Nut |
| 8 | 786-0005 | | Depth Bar | 35 | 741-0475 | | Plastic Bushing .38" I.D. |
| 9 | 711-0599 | | Clevis Pin .375" I.D. x 1.75" Lg. | 36 | 720-0269 | | Grip-Clutch |
| 10 | 714-0149B | | Internal Cotter Pin | 37 | 747-0815 | | Clutch Handle Eye Bolt |
| 11 | 750-0470 | | Spacer .326" I.D. x .47" O.D. | 38 | 686-0008 | | Clutch Handle Ass'y. |
| 12 | 750-0885 | | Spacer .322" I.D. x .44" I.D. | 39 | 710-0189 | | Hex Bolt 5/16-18 x 3" Lg. |
| 13 | 710-0176 | | Hex Bolt 5/16-18 x 2.75" Lg. | 40 | 649-0001 | | Longhorn Handle Ass'y. |
| 14 | 786-0028 | | Frame-R.H. | 41 | 746-0919 | | Clutch Control Cable–Reverse |
| 15 | 786-0029 | | Frame-L.H. | 42 | 746-0918 | | Clutch Control Cable—Forward |
| 16 | 686-0025 | | Wheel Hanger Brkt. Ass'y. | 43 | 710-1236 | | Carr. Bolt 5/16-18 x 1" Lg. |
| 18 | 738-0213 | | Shld. Bolt .498" Dia. x 1.45" Lg. | | | | (Special) |
| 19 | 734-1566 | | Wheel Ass'y. 8" x 1.75" | 44 | 736-0123 | | Fl-Wash344" I.D. x 1.12" O.D. |
| 21 | 712-3005 | | Hex Flange L-Nut 3/8-16 Thd. | 45 | 736-0242 | | Bell-Wash345" I.D. x .88" O.D. |
| | | | (Gr. 5) | 46 | 720-0195 | | Hand Knob |
| 22 | 731-1600 | N | Handle Cover w/Reverse | 47 | 749-0915 | | Engine Tubing Brace |
| 23 | 711-1036 | N | Spec. Hex Nut | 48 | 712-0429 | | Hex Nyloc Nut 5/16-18 Thd. |
| 24 | 786-0129 | N | Cable Guide Brkt. | 49 | 736-0242 | | Bell-Wash345" I.D. x .88" O.D. |
| 25 | 736-0119 | | L-Wash. 5/16" I.D.* | | | | |

^{*}For faster service obtain standard nuts, bolts and washers locally. If these items cannot be obtained locally, order by part number and size as shown on parts list.

PARTS LIST FOR MODEL 390 TILLER

| | TATTO LIGHT OF MODEL GOOT TELET | | | | | | | |
|-------------|---------------------------------|------|------------------------------------|-------------|-------------|------|-----------------------------------|--|
| REF. NO. | PART NO. | CODE | DESCRIPTION | REF. NO. | PART NO. | CODE | DESCRIPTION | |
| 1 | 786-0030 | | Belt Cover | 26 | 756-0600 | | Outer Engine Pulley Half | |
| 2 | 736-3020 | | Fl-Wash266" I.D. x .625" O.D. | 27 | 756-0971 | | Inner Engine Pulley Half | |
| 3 | 710-0599 | | Hex Wash. Hd. TT-Tap Scr. | 28 | 756-0585 | | FI-Pulley 6" Dia. | |
| | | | 1/4-20 x .5" Lg. | 29 | 754-0429 | | "V"-Belt (Reverse) | |
| 4 | 712-0392 | | Hex L-Stop Nut 1/4-28 Thd. | 30 | 754-0428 | | "V"-Belt (Forward) | |
| 5 | 712-3004A | | Hex Flange Top L-Nut | 31 | 748-0350 | | Pulley Mounting Adapter | |
| | | | 5/16-18 Thd. (Gr. 5) | 32 | 736-0112 | | Bell-Wash535" I.D. x 1.5" O.D. | |
| 6 | 786-0035 | | Tine Shield | 33 | 712-3029 | | Hex Jam Nut 1/2-20 Thd. (Gr. 5) | |
| 7 | 710-0118 | | Hex Bolt 5/16-18 x .75" Lg.* | 34 | 738-0102 | | Shld. Bolt .498" Dia. x 1.45" Lg. | |
| 8 | 711-0920 | | Belt Cover Bolt | 35 | 786-0040 | | Reverse Mounting Brkt. | |
| 10 | 736-0171 | | L-Wash. 7/16" I.D. | 36 | 686-0013 | | Reverse Arm Ass ³ y. | |
| 11 | 710-0380 | | Hex Bolt 5/16-18 x 1.75" Lg. | 37 | 786-0041 | | Keeper Plate | |
| 14 | | | Engine | 38 | 756-0313 | | FI-Idler 2.12" O.D. | |
| 15 | 736-0170 | | Spec. L-Nut 5/16" I.D. | 39 | 710-0723 | | Hex Cap Bolt 3/8-16 x 1.25" Lg. | |
| 16 | 711-0599 | | Clevis Pin .375" Dia. x 1.75" Lg. | 40 | 712-0266 | | Hex Cent. Jam Nut 3/8-16 Thd. | |
| 17 | 714-0149B | | Internal Cotter Pin | 41 | 750-0892 | | Spacer .64" I.D. x 2.4" Lg. | |
| 18 | 642-0005 | | Outer Tine Ass'yL.H. | 42 | 686-0011 | | Tine Idler Brkt. Ass'y. | |
| | 642-0004 | | Outer Tine Ass'yR.H. | 43 | 756-0199 | | Fl-Idler 2" O.D. | |
| 40 | 040 0000 | | (Not Shown) | 44 | 710-0783 | | Hex Self-Tap Scr. #8-32 x .38" | |
| 19 | 642-0003 | | Inner Tine Ass'yL.H. | | , | | Lg. | |
| | 642-0002 | | Inner Tine Ass'yR.H. | 45 | 751-0233 | | Muffler Deflector | |
| 00 | 606 0000 | | (Not Shown) | 46 | 746-0918 | | Clutch Control Cable-Forward | |
| 20 | 686-0009 | | Chain Case Ass'y. Comp. | 47 | 746-0919 | | Clutch Control Cable-Reverse | |
| | | | (Available Only as Comp. | 48 | 735-0639 | | Spark Plug Boot (Optional) | |
| 04 | 706 0440 | | Ass'y.) | 52 | 786-0047 | | Engine Plate | |
| 21 | 736-0119 | | L-Wash. 5/16" I.D.* | 53 | 786-0053 | | Tine Shield Support | |
| 22 | 710-0107 | | Hex Bolt 5/16-24 x .5" Lg. | 54 | 712-0240 | | Hex Nut 7/16-20 Thd. | |
| | 732-0697 | | Return Spring 2.7" Lg. | 55 | 712-3010 | | Hex Nut 5/16-18 Thd. (Gr. 5) | |
| 24 25 | 710-0191 | | Hex Bolt 3/8-24 x 1.25" Lg. | | | | | |
| 20 | 736-0452 | | Bell-Wash396" I.D. x 1.14" O.D. | | | | | |
| | | | J.D. | | | | | |

^{*}For faster service obtain standard nuts, bolts and washers locally. If these items cannot be obtained locally, order by part number and size as shown on parts list.